



Fibo Profiles


TECHNICAL DATASHEET




Internal Corner Profile 90°




2-part Internal Corner Profile 90°




Internal Corner Profile 135°




Hidden Internal Corner Profile 90°



External Corner Profile 90°



Stacking Profile




External Corner Profile 135°



L-Profile Wide



L-Profile Small



Combi Profile




Base Profile



Base Profile
- for flange

PVC WHITE PROFILES

PRODUCT NAME	LENGTH	ART. NO	MATERIAL	COLOR	TREATMENT
Stacking profile PVC 110 white, 2-parts	94 ³ / ₆₄ "	163676	PVC	White	
Internal corner profile PVC 110 white	94 ³ / ₆₄ "	163664	PVC	White	
External corner profile PVC 110 white	94 ³ / ₆₄ "	163665	PVC	White	
L-shaped finishing profile PVC 110 white	94 ³ / ₆₄ "	163666	PVC	White	




ALU PROFILES PREDRILLED AND PRECUT PACKED INDIVIDUALLY

PRODUCT NAME	LENGTH	ART. NO	MATERIAL	COLOR	TREATMENT
Internal corner profile II, predrilled/cut	94 ³ / ₆₄ "	163933-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Internal corner profile II, predrilled/cut	118 ⁷ / ₆₄ "	163935	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Internal corner profile alu II, 2-parts	94 ³ / ₆₄ "	163924	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Internal corner profile alu II, 2-parts	118 ⁷ / ₆₄ "	163927	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Internal corner profile II, 135° predrilled/cut	94 ³ / ₆₄ "	163938	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Internal corner profile II, 135° predrilled/cut	118 ⁷ / ₆₄ "	163940	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Hidden corner profile	92 ²⁹ / ₃₂ "	163906-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
External corner profile II	94 ³ / ₆₄ "	163800-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
External corner profile II	118 ⁷ / ₆₄ "	163805	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
External corner profile II, 135° predrilled/cut	94 ³ / ₆₄ "	163945	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
External corner profile II, 135° predrilled/cut	118 ⁷ / ₆₄ "	163947	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Base profile, predrilled	94 ³ / ₆₄ "	163910-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Base profile, predrilled (for flange)	94 ³ / ₆₄ "	163912-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
L-shaped finishing profile (large)	94 ³ / ₆₄ "	163128-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
L-shaped finishing profile (small)	94 ³ / ₆₄ "	163317-E	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
L-shaped finishing profile (small)	118 ⁷ / ₆₄ "	163407	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Combi profile	94 ³ / ₆₄ "	163901	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized
Stacking profile alu, 2-parts	94 ³ / ₆₄ "	102283	EN AW 6060 (573-3)/ EB AW-6063 T6	Alu	Anodized



WHITE ALU PROFILES PREDRILLED AND PRECUT PACKED INDIVIDUALLY

PRODUCT NAME	LENGTH	ART. NO	MATERIAL	COLOR	TREATMENT
Internal corner profile white II, 2-parts	94 3/4"	163929	EN AW-6063 T6	Visible part RAL 9016	Lacquered
Internal corner profile white II, 2-parts	118 7/4"	163931	EN AW-6063 T6	Visible part RAL 9016	Lacquered
External corner profile white II, predrilled/cut	94 3/4"	163908	EN AW-6063 T6	RAL9016	Lacquered
External corner profile white II, predrilled/cut	118 7/4"	163921	EN AW-6063 T6	RAL9016	Lacquered
Stacking profile white, 2-parts	94 3/4"	102284	EN AW-6063 T6	RAL9016	Lacquered
L-profile White (small)	94 3/4"	163941-E	EN AW-6063 T6	RAL9016	Lacquered
L-profile White (large)	94 3/4"	163948-E	EN AW-6063 T6	RAL9016	Lacquered



DARK ALU PROFILES PREDRILLED AND PRECUT PACKED INDIVIDUALLY

PRODUCT NAME	LENGTH	ART. NO	MATERIAL	COLOR	TREATMENT
L-profile Dark (small)	94 3/4"	163943-E	EN AW-6063 T6	RAL7016	Lacquered
L-profile Dark (large)	94 3/4"	163949-E	EN AW-6063 T6	RAL7016	Lacquered



General information about detergents

Detergents for private consumers, as well as general detergents for large consumers, are rarely corrupt. However, they may seem irritating to the skin, the higher or lower pH value they have. Lukewarm water is for regular cleaning. Gloves should be used for prolonged contact with concentrated products or solutions, as the cleaning agents can dry out the skin. Be careful with inhalation of aerosols (shower/spray bottle) as these may irritate the mucous membranes.

Good advice

Always apply the detergent where it is the most "dirty" first and wipe these areas last so that the detergent will last for the longest time to work before drying out.

Publishing date 25.11.2019