

Kitchen Backsplash Board



Renew your kitchen in an afternoon!

Do it yourself!



WHAT IS FIBO KITCHEN BOARD?

Fibo Kitchen Board is a stylish, safe, and durable solution that is fast and easy to install.

The panels are water resistant, easy to clean and maintenance-free. Choose from a huge range of different designs, and fit directly onto studs or on your existing kitchen walls according to our installation instructions.



Easy to install, and easy to maintain.
Glue or screw the panels.



1. Unwrap it



2. Stick it



3. Click it



4. Finish it



Our Kitchen Board collection comes in a standard size of 24 13/32" x 18 7/64"

Tips – you can also use combine the Kitchen Board collection with our full-length panels to cover a whole wall to create your dream look.

Contents

04	Kitchen Board intro
06	Marble
08	Metal
10	Minerals
12	Monochrome
14	Clad the entire wall
16	Our designs
18	Collection Overview
20	Accessories
22	Installation
24	Environment & Quality



CLICK, READY, GO!

Save time and money by choosing Fibo Kitchen Boards. Our innovative wall system is 100% watertight and is delivered ready to install.

Kitchen Boards



When ard

DESIGN THAT MEETS YOUR NEEDS

Our decors are timeless and independent of shifting trends. The surface is easy to clean - and will protect the space between a countertop and kitchen cabinets against water and splashes from cooking.

GOOD FOR YOU AND YOUR SURROUNDINGS

Our products are made from certified renewable wood, without harmful chemicals, and have a smaller CO2 footprint than most tiles.

ANTIBACTERIAL SURFACES

All Fibo Kitchen Boards now come with a documented antibacterial effect. Our Kitchen Board is tested according to ISO22196 standard – test results show that it is virtually impossible (99.99%) for E. coli and Staphylococcus bacteria to survive on Fibo's surfaces.


Marble



Fibo Kitchen Board is the fastest way to renovate and give the kitchen a personal touch. We offer a wide range of easy-care and maintenance-free panel. Fibo Kitchen Board is mounted directly on studs or the existing back wall. Follow the installation instructions that come with the product or on **fibosystemusa.com**, and you are guaranteed a great result in no time at all!



2272 S
BLACK MARBLE



2273 S
WHITE MARBLE



2278 S GOLDEN
BROWN MARBLE

Fibo Kitchen Board 2272 S BLACK MARBLE KM00



TIMELESS CLASSICS

Marble designs consistently stand the test of time and rarely go out of fashion. We have three marbles to match all kitchen designs. Black Marble is perfect if you are aiming for an edgy, contemporary look. White Marble is light and airy and offers a subtle touch of grace. Golden Brown Marble is perfect for creating a calm and cosy atmosphere.

Fibo Kitchen Board 2278 S GOLDEN BROWN MARBLE KM00




Fibo Kitchen Board 2273 S WHITE MARBLE M00



Full length panels are perfect for spaces where you do not have any cabinets. Choose Fibo for style and protect your kitchen wall at the same time.

Metal



5003 MET
STEEL K00



5004 MET
GOLD K00



5006 MET
COPPER K00



Filbo Kitchen Board 5004 MET GOLD K00



Filbo Kitchen Board 5006 MET COPPER K00

Kitchen Board with metallic surfaces help create a modern, industrial looking kitchen.

RENEW YOUR KITCHEN IN ONE-TWO-THREE!

METAL SURFACES CREATE A UNIQUE LOOK AND FEEL

Create a modern look and feel with a shining metal decor in brushed gold, copper, or steel. Combined with earthy coloured details and elements from nature, you get a tough looking kitchen that really stands out.


Minerals



8053 STN
LENTINI GREY




8056 STN
LENTINI DARK



4002 S
TERRAZZO DARK



4001 S
TERRAZZO LIGHT



Fibo Kitchen Board 4001 TERRAZZO LIGHT KM3010



Fibo Kitchen Board 0145 SOFT CEMENT KM00



**STONE TEXTURES AND
NORDIC NATURE**


Bring nature indoors! Choose a mineral decor and give your kitchen that natural feel.

Choose between large-grained Terazzo, a soft and fine-grained Sahara or a rougher look with any of our cement variations.

Fibo Kitchen Board 4002 DARK TERRAZZO KM72



0192 S TITAN



0145 S
SOFT CEMENT




2204 S
CRACKED CEMENT



4746 STN
GREY SAHARA



Monochrome




A LIFE IN BLACK AND WHITE ... AND EVERYTHING IN BETWEEN

If you choose a single-color decor, the look will never go out of style. It lends itself to playing with contrasts and highlighting interior elements. Kitchen Board panel from Fibo is easy to keep clean and will withstand water splashes and temperature fluctuations.*



Fibo Kitchen Board 2024 S BLACK KM71

* Please note where the temperature is above 80°C/176°F eg. behind some gas stoves and cooktops, we recommend using a heat resistant decorative material (stainless steel is commonly used) or tempered glass product to protect the panel and avoid heat possibly dulling the panel. Please check with the manufacturer of gas appliance to determine required wall clearance for gas appliance installation to ensure temperatures don't exceed the level listed above where Fibo Kitchen Board is installed. Freestanding Ranges with a rear vertical control panel/display do not apply to this concern.




Filbo Kitchen Board 4091 SL WHITE SLATE KM70




3091 HG
DENVER WHITE



3091 HG
DENVER WHITE




3091 HG
DENVER WHITE



4091 SL
WHITE SLATE, KM70



0090 EM
SVALBARD



Clad the entire wall

COMPLETE KITCHEN DESIGN!

Our Kitchen Board panels are also available in full lengths, enabling you to clad entire walls. Choose Fibo for style and protect your whole kitchen wall at the same time. If you have little space, this will help give the room a more spacious feel. Look at the alternatives at fibosystemusa.com





Fibo Kitchen Board 2898 SHABBY CHIC F00



TIPS!


Bring in details with the same theme to boost the overall feeling and create a well-coordinated result.




Fibo Kitchen Board 0194 MARINA GREY OAK KM6015

Our designs


TIPS! Different designs/milled patterns, provide variation to the different decors in our range of products. Color selection of grout lines will also accentuate or tone down the design. Leaf through the brochure to see what Kitchen Board panel decors are to be found in the different designs.




K00/F00
KM00/M00
NO GROUT LINE




K03/F03
KM3005/M3005
12 X 2"




K40/F40
4 X 4"




KM6015/M6015
24 X 6"




KM3010/M3010
12 X 4"




KM70/M70
SUBWAY TILE 6 X 3"




KM71/M71
HEXAGON



KM72/M72
HERRINGBONE



KM73/M73
STANDING BARS



KM99/M99
BROKEN SLATE

Fibo Kitchen Board 4091 WHITE SLATE KM70

FIBO | WALLS BUILT FOR LIFE



Collection Overview

Panel sizes | Standard Kitchen Board panel measures 24 x 18 inch but is also available in full length (24 x 94 inch).
Design designation | KM/K corresponds to Kitchen Board size, while M/F corresponds to full length panel.



6230 HG
MIDNIGHT BLUE
Grout: 5/64 inch grey
Design KM73 M73



2024 S
BLACK
Grout: 5/64 inch grey
Design KM71 M71



4002 S
TERRAZZO DARK
Grout: 5/64 inch dark anthracite
Design KM72 M72




4001 S
TERRAZZO LIGHT
Grout: 5/64 inch grey
Design KM72 M72



5003 MET
STEEL *
Grout: none
Design K00 F00



5006 MET
COPPER *
Grout: none
Design K00 F00



5004 MET
GOLD *
Grout: none
Design K00 F00



0192 S
TITAN
Grout: none
Design K00 F00



2272 S
BLACK MARBLE
Grout: none
Design KM00 M00




2273 S
WHITE MARBLE
Grout: none
Design KM00 M00




2278 S
GOLDEN B. MARBLE
Grout: none
Design KM00 M00




0194 EM
MARINA GREY OAK
Grout: 5/64 inch white
Design KM6015 M6015



0090 EM
SVALBARD
Grout: 5/64 inch white
Design KM3010 M3010



0433 EM
REYKJAVIK
Grout: 5/64 inch white
Design KM3010 M3010



3091 HG
DENVER WHITE
Grout: 5/64 inch grey
Design KM3010 M3010



4746 STN
GREY SAHARA
Grout: 5/64 inch white
Design KM3010 M3010




3091 HG
DENVER WHITE
Grout: 9/64 inch grey

Design
K40
F40




3091 HG
DENVER WHITE
Grout: 9/64 inch grey

Design
K03
F03




2101 HG
RED
Grout: 9/64 inch grey

Design
K03
F03



4054 HG
MILANO ANTRASITE
Grout: 9/64 inch grey

Design
K03
F03



2124 HG
NEW YORK BLACK
Grout: 5/64 inch grey

Design
KM99
M99



4091 SL
WHITE SLATE
Grout: 5/64 inch grey

Design
KM99
M99



4091 SL
WHITE SLATE
Grout: 5/64 inch grey

Design
KM70
M70



0145 S
SOFT CEMENT
Grout: none

Design
KM00
F00



8056 STN
LENTINI DARK
Grout: none

Design
KM00
M00



8053 STN
LENTINI GREY
Grout: none

Design
KM00
M00



2204 S
CRACKED CEMENT
Grout: none

Design
K00
F00



1412 EM
AVALON PINE
Grout: none

Design
KM00
M00



2898 RU
SHABBY CHIC
Grout: none

Design
K00
F00

ABBREVIATIONS FOR SURFACE FINISHES

HG = High gloss
SL = Slate
S = Silk
STN = Stone
EM = Extra Matt
RU = Rustic
MET = Metal

NOTE!

where the temperature is above 80°C/176°F eg. behind some gas stoves and cooktops, we recommend using a heat resistant decorative material (stainless steel is commonly used) or tempered glass product to protect the panel and avoid heat possibly dulling the panel. Please check with the manufacturer of gas appliance to determine required wall clearance for gas appliance installation to ensure temperatures don't exceed the level listed above where Fibo Kitchen Board is installed. Freestanding Ranges with a rear vertical control panel/display do not apply to this concern.

Correct accessories are half the job

Fibo provides a complete system with accessories and profiles that make it easy to secure optimal results and make installation as simple as possible. The panels can be attached with screws through the Aqualock click system or simply glued to the wall.

Fitting accessories for Kitchen Board Backsplash: Anodised aluminum

Profiles supplied in lengths of 18 $\frac{3}{4}$ " or 94 $\frac{3}{4}$ "




L-profile small

Alu

L-profile 18 $\frac{3}{4}$ " ART. 102287-E

Top strip 94 $\frac{3}{4}$ " ART. 163317-E



L-profile small

Alu Dark Anthracite

L-profile 18 $\frac{3}{4}$ " ART. 102290-E

Top strip 94 $\frac{3}{4}$ " ART. 163943-E




L-profile small

Alu White

L-profile 18 $\frac{3}{4}$ " ART. 102292-E

Top strip 94 $\frac{3}{4}$ " ART. 163941-E



Hidden internal Corner profile

Alu

22 $\frac{5}{8}$ " ART. 102289-E

94 $\frac{3}{4}$ " ART. 163906-E

Fibo Clean 400586



Fibo Wipes 400583



Fibo Seal

Grey: 400591

White: 400590

Anthracite: 400593



Fibo Adhesive 400589

400589



Fibo Sealing Tool 400582




Fibo Screws

40 screws in package
810005



L-shaped finishing profile

The L-shaped finishing profile is made for covering the cut surfaces. It is easily attached with glue or sealant to the edges.




Hidden internal corner

Use the hidden internal corner profile to connect the two panels in the corner. The profile will not be visible when the installation is done. Use Sealant in the corner and against the worktop as the last part of the installation.



The smart way to transform your wall

Fibo's wall system is a quality Norwegian product, manufactured in contemporary designs, which is both cost-effective and easy to maintain.



Fibo | Warranty

Fibo wall system is approved according to the European technical approval guideline, ETAG022 and has a warranty of 25 years in commercial applications and a Limited LifeTime - residential. It gives you a solution that will last for decades and yet is affordable and easy enough to change on a whim for new colors or designs.



Fibo | The smart Aqualock solution

Fibo Aqualock: 100% Waterproof

With our patented Aqualock click system, Fibo panels are perfect for both refurbishment or new construction projects. The system makes the product unique and 100% waterproof, simplifies the assembly and minimizes joints. There's no need for a water vapor barrier or another waterproof membrane behind the panels.

To make the surface waterproof, all corners, joints, profiles and edges must be sealed.




UL 723 fire test
CARB 93120 ATCM compliant
TSCA Title VI compliant
ASTM E1333 Emission test
PROP 65

Installation of Fibo Kitchen Board



L-shaped finishing profile

The L-shaped finishing profile is made for covering the cut surfaces.



Hidden internal corner

Use the hidden internal corner profile to connect two panels in the corner. The profile will not be visible when the installation is done.



Use the Fibo accessories which are developed to ensure a perfect end result.

Renew your kitchen in less than a day!

Use the Fibo Kitchen Board as a decorative wall between the worktop and cabinets in your kitchen. Mount directly on the studs or existing wall to create a stylish kitchen. Fibo Kitchen Board is 100% waterproof and has a durable surface - with a limited lifetime warranty!


Our unique Aqualock click-lock makes the installation easy, and by using our accessory products we guarantee a durable result that is maintenance-free and easy to clean.

1. Stick it

2. Click it

3. Finish it

TOOLS FOR INSTALLATION




PREPARATIONS

Fibo Kitchen Board with tile pattern


Measure the total length of the wall and consider centering the tile pattern before starting the installation to achieve uniform tile sizes.

The surface must be flat, irregularities removed/sanded. When installing on top of tiles, make sure the surface is clean and degreased.

CUTTING PANELS





Decor side facing down




Decor side facing down


Installation of Fibo Kitchen Board




Measure the area where to cover with Fibo Kitchen Board. Start installation from left to right.




Measure installation height, and apply glue to the backwall.




Attach the corner profile with screws. Slide the first panel into the corner profile.




Apply Fibo Seal in the sealing lip on the left hand side of the next panel.




1. Spray with Fibo Clean
2. Remove with Fibo Sealing Tool
3. Finish with Fibo Wipes




Remove tape film from the corner profile.




Adjust the last panel before clicking it into place.




Apply Fibo Seal in corner and remove excess with Fibo Clean and Fibo Sealing Tool.



1. Internal corner profiles
2. Covering L-profiles to hide cut surfaces



Measure and cut finishing profile/L-profile. Dryfit before applying it with Fibo Seal onto the panel. Remove excess sealant with Fibo Clean, Fibo Sealing Tools and finish with Fibo Wipes.




Place a masking tape on the worktop before sealing. Use Fibo Seal to hide transition between Kitchen Board and worktop. Make sure to remove all excess sealant with Fibo Clean, Fibo Sealing Tools and Fibo Wipes.




Watch our instructive installation videos at fibosystemusa.com


Installation of Fibo Kitchen Board using screws instead of glue




Measure the area where to cover with Fibo Kitchen Board. Start installation from left to right.



Attach the corner profile with screws. Slide the first panel into the corner profile.



Place an installation screw in the screw lip on the right hand side of the panel. The screws will replace glue/Fibo Seal on the backwall. Apply Fibo Seal in the sealing lip on the left hand side of the next panel.



Clean cut the last panel. Attach a screw on the edge before the finishing L-profile is installed.

Walls built for life

The UNs Sustainable Development Goals (SDGs) provide a shared blueprint for peace and prosperity for people and planet, now and into the future. Fibo is guided by eight of the UN's SDGs which affects everything we do. From the raw materials we choose, to our manufacturing processes and even the transport firms we use to distribute our wall panels. Read more on fibosystemusa.com

SUSTAINABILITY

Fibo is a responsible company committed to sustainability. Our raw materials come certified renewable wood, and we take special responsibility for making products that last. All our materials are fully traceable, and we publish our Environmental, Social and Governance (ESG) report annually so you can follow our progress.

ENVIRONMENT


We continuously strive to reduce our environmental impact. We have reduced energy consumption during manufacturing, halved the amount of plastic used in packaging and reduced wastage in production. Our factory has the highest environmental standards and is certified according to ISO 14001:2015.

The building and construction industry accounts for almost 40% of global CO2 emissions. Our wall panel products have a lower carbon footprint than most tiles. Reduce your building's CO2 emissions. Choose Fibo.

QUALITY

Since 1952 we have been making wall solutions that are based on the world's strictest building standards. Our products are built to last and come with a limited lifetime warranty.





*Our goal is to contribute to an
active and healthy living
environment – for everyone
in the world.*

Get a good start at fibosystemusa.com

