Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 4/1/2022 Revision date: 5/2/2022 Supersedes version of: 4/1/2022 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form Product name Product code Other means of identification : Mixture Fibo Seal : 400610, 400611, 400612 : Nobb.nr 60020814 60020813 60020815

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Intended for general public Main use category Use of the substance/mixture

Professional use, Consumer use Sealants

Uses advised against No additional information available

1.3. Details of the supplier of the safety data sheet

Fibo AS Industriveien 2 4580 LYNGDAL - Norge T 38 34 33 00 - F 38 34 33 11 ordre@fibosystem.com - www.fibo.no

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Newcastle Unit)	Claremont Place Newcastle-upon-Tyne, Newcastle	+44 191 2606182 +44 191 2606180	Hours of operation: 24hrs

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements		

: EUH210 - Safety data sheet available on request.

EUH212 - Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

- Child-resistant fastening Not applicable Tactile warning
 - : Not applicable

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	Conc. (% w/w)	Classification according to Regulation (EC) No. 1272/2008 [CLP]
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] substance with national workplace exposure limit(s) (GB, IE) (Note V)(Note W)(Note 10)	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5 (EC Index-No.) 022-006-00-2 (REACH-no) 01-2119489379-17	1 -< 5	Carc. 2, H351
Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (Note L)	(CAS-No.) 64742-55-8 (EC-No.) 265-158-7 (EC Index-No.) 649-468-00-3 (REACH-no) 01-2119487077-29	0.1 -< 5	Asp. Tox. 1, H304

Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Note L: The harmonised classification as a carcinogen applies unless it can be shown that the substance contains less than 3 % of dimethyl sulphoxide extract as measured by IP 346 ("Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions – Dimethyl sulphoxide extraction refractive index method" Institute of Petroleum, London), in which case a classification in accordance with Title II of this Regulation shall be performed also for that hazard class.

Note V : If the substance is to be placed on the market as fibres (with diameter < 3 μ m, length > 5 μ m and aspect ratio ≥ 3:1) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.

Note W : It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung. This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures 4.1. Description of first aid measures First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the patient to rest. If you feel unwell, seek medical advice. First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. First-aid measures after eye contact : Wash immediately with lots of water (15 minutes)/shower. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if pain, blinking or redness persists. First-aid measures after ingestion : Rinse mouth out with water. Do not induce vomiting. Get medical advice/attention if you feel unwell. 4.2. Most important symptoms and effects, both acute and delayed : In all second identifies to the advice second identifies to the advice second identifies to the advice of donts.

Symptoms/effects

: In all cases of doubt, or when symptoms persist, seek medical attention.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
----------------------------------	--

5.1. Extinguishing media

Suitable extinguishing media

: Use extinguishing media appropriate for surrounding fire. Foam. Dry powder. Carbon dioxide. Water spray.

Unsuitable extinguishing media

EcoOnline

: None to our knowledge.

Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

5.2. Special hazards arising from the substance or mixture			
Hazardous decomposition products in case of fire : Toxic fumes may be released. Carbon oxides (CO, CO2). Hydrocarbons.			
5.3. Advice for firefighters			
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	 Do not enter fire area without proper personal protective equipment, including respiratory protection (EN137). 		

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures		
General measures	Avoid dust formation. Do not breathe dust. Do not breathe vapour. Avoid contact with skin and eyes.	
6.1.1. For non-emergency personnel		
Protective equipment	See Section 8.	
Emergency procedures	Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	Equip cleanup and emergency crew with proper protection.	
Emergency procedures	Ventilate area.	
6.2. Environmental precautions		

Prevent entry to sewers and public waters. Avoid release to the environment.

For containment

: Collect all waste in suitable and labelled containers and dispose according to local legislation. Clean contaminated surfaces with an excess of water.

Methods for cleaning up

: Minimise generation of dust. Store away from other materials.

6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and stora	age		
7.1. Precautions for safe handling			
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.		
Hygiene measures	: Wear personal protective equipment.		
7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store in a dry place. Store in a well-ventilated place. Keep cool. Store in a closed container.		
Incompatible materials	: Keep away from heat and direct sunlight. Moisture.		
Packaging materials	: Synthetic material.		
7.3. Specific end use(s)			


See Section 1.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	
Ireland - Occupational Exposure Limits	
Local name	Titanium dioxide
OEL TWA [1]	10 mg/m³ total inhalable dust 4 mg/m³ respirable dust
Regulatory reference	Chemical Agents Code of Practice 2021



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

United Kingdom - Occupational Exposure Limits	
Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	4 mg/m³ respirable 10 mg/m³ total inhalable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-55-8)

DNEL/DMEL (Workers)		
0.97 mg/kg bodyweight/day		
2.73 mg/m ³		
5.58 mg/m³		
DNEL/DMEL (General population)		
0.74 mg/kg bodyweight/day		
1.19 mg/m³		
PNEC (Oral)		
9.33 mg/kg food		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Emergency eye wash fountain with clean water.

8.2.2. Personal protection equipment

Personal protective equipment:



8.2.2.1. Eye and face protection

Eye protection: In case of dust production: protective goggles. STANDARD EN 166.

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection:

Wear protective gloves. Material: Neoprene, Nitrile rubber, Polyethylene/ethylenevinylalcohol. Layer thickness : 0,11 mm. Breakthrough time : 6 (> 480 minutes). STANDARD EN ISO 374-1:2016/A1:2018, EN ISO 374-2:2019, EN ISO 374-4:2019

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment. Combined gas/dust mask with filter type. Filter B (grey). /P3. STANDARD: EN 140 / EN 141 / EN 136 / EN 143 / EN 405 / EN 137 / EN 136/140/145.



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Personal protective equipment should be chosen according to the CEN standards and in discussion with the supplier of the protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	• •
Physical state	: Liquid
Colour	: Different according to colour
Appearance	: Paste.
Odour	: Characteristic.
Odour threshold	: Not available
Melting point	: Does not apply
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Does not apply
Explosive limits	: Not available
Lower explosive limit (LEL)	: Not available
Upper explosive limit (UEL)	: Not available
Flash point	: > 100 °C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: Not available
Viscosity, kinematic	: > 20.5 mm²/s
Solubility	: Not available
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50 °C	: Not available
Density	: Not available
Relative density	: 1.47
Relative vapour density at 20 °C	: Not available
Particle size	: Not applicable
Particle size distribution	: Not applicable
Particle shape	: Not applicable
Particle aspect ratio	: Not applicable
Particle aggregation state	: Not applicable
Particle agglomeration state	: Not applicable
Particle specific surface area	: Not applicable
Particle dustiness	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

VOC content

: 1.46 - 1.97 g/l (21.62 g/l - 29.22 g/l)

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

10.2. Chemical stability


Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No decomposition if stored and used normally.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	
LD50 oral rat	> 5000 mg/kg
LC50 Inhalation - Rat	> 6.82 mg/l

Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-55-8)

LD50 oral rat	> 5000 mg/kg bodyweight (OECD 425 method)
LC50 Inhalation - Rat	> 6.82 mg/l
Skin corrosion/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Respiratory or skin sensitisation	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
	Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.
	. N - 4 - 1

Reproductive toxicity	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met

Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-55-8)

LOAEL (oral, rat, 90 days)	125 mg/kg bodyweight/day Animal: rat, Animal sex: male, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)
	Not classified Based on available data, the classification criteria are not met
Fibo Seal	

Viscosity, kinematic

> 20.5 mm²/s



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
Adverse health effects caused by endocrine disrupting properties	: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %
11.2.2 Other information	
Other information	: No additional data

SECTION 12: Ecological information	
40.4 Textisity	

12.1. Toxicity

Ecology - general	:	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the
		environment. Avoid discharge to the environment.
Hazardous to the aquatic environment, short-term (acute)	:	Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	:	Not classified (Based on available data, the classification criteria are not met)

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	
LC50 - Fish [1]	> 100 mg/l (OECD 203 method)
ErC50 algae	61 mg/l

Distillates (petroleum), hydrotreated light paraffinic; Baseoil— unspecified; [A complex combination of hydrocarbons obtained by treating a petroleum fraction with hydrogen in the presence of a catalyst. It consists of hydrocarbons having carbon numbers predominantly in the range of C15 through C30 and produces a finished oil with a viscosity of less than 100 SUS at 100 °F (19cSt at 40 °C). It contains a relatively large proportion of saturated hydrocarbons.] (64742-55-8)

LC50 - Fish [1]	> 5000 mg/l (96 hours - Rainbow trout)
-----------------	--

12.2. Persistence and degradability

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	
Persistence and degradability	Not relevant.

12.3. Bioaccumulative potential

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] (13463-67-7)	
Bioaccumulative potential	No bioaccumulation.

12.4. Mobility in soil

Fibo Seal	
Ecology - soil	Low mobility (soil).

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm] (13463-67-7)	
Ecology - soil	Low mobility (soil).

12.5. Results of PBT and vPvB assessment

Fibo Seal	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

Component

•	
titanium dioxide; [in powder form containing 1 % or more of	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
particles with aerodynamic diameter \leq 10 µm] (13463-67-7)	This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine : Based on available data, the classification criteria are not met disrupting properties



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

12.7. Other adverse effects

Other adverse effects Additional information

- : None to our knowledge.
- : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)
Waste treatment methods
Product/Packaging disposal recommendations
Ecology - waste materials
European List of Waste (LoW) code

Do not discharge into drains.
Dispose in a safe manner in accordance with local/national regulations.
Avoid release to the environment.
08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

15 01 02 - plastic packaging

SECTION 14: Transport information

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping nam	e		·	·
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(e	s)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		·		•
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	1		1	1
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

Overland transport Not applicable Transport by sea Not applicable Air transport Not applicable Inland waterway transport Not applicable Rail transport Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants



Fibo Seal

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

VOC content

: 1.46 - 1.97 g/l (21.62 g/l - 29.22 g/l)

15.1.2. National regulations

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:			
Section	Changed item	Change	Comments
1.2	Use of the substance/mixture	Added	
2.3	Endocrine disrupting properties	Added	
3.2	Comments	Added	
8.1	Grenseverdier (mg/m³)	Added	
8.2	Protective equipment	Modified	
9	Viscosity, kinematic	Added	
11.1	Carcinogenicity	Added	Note 10

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

Full text of H- and EUH-statements:	
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
EUH210	Safety data sheet available on request.
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
H304	May be fatal if swallowed and enters airways.
H351	Suspected of causing cancer.

: None.

The information in this safety data sheet is based on information from the manufacturer/supplier, present european and national legislation, and presupposes that the product is used within the specified area of application.

