

A wide-angle photograph of a modern hospital reception area. The room features light green walls, a white grid ceiling with recessed circular lights and air vents, and a polished grey floor. On the left, a black wheelchair is parked. In the center, there are two reception desks with grey tops and white bases. A large window in the background offers a view of a city skyline. On the right, there is a black metal waiting chair and a potted plant. A dark blue banner with white text is overlaid on the right side of the image.

Vito Fire Panel

The logo for Vito, featuring the word "Vito" in white lowercase letters on a dark blue background. The letter "i" has a red dot above it.

Vito

Advantages

- **Fire Reaction:** Fire classification B-s1, d0
- **Fire Resistance:** EI30 (air gap, wood, and mineral wool)
- **Robust Surface:** Durable exterior
- **Simplified Construction:** Single back-wall structure with B-s1, d0 and EI30 ratings, minimizing material complexity.
- **Eco-Friendly:** Reduced building materials mean a lower carbon footprint compared to competitors' requirement of additional layers. Most competitors add two layers of gypsum plus a steel plate to achieve the necessary robust surface.
- **Innovative Installation:** Concealed fastening and click-lock mechanism for nearly invisible joints.
- **Efficient Installation:** Quick and straightforward, saving time and labour.
- **Low Maintenance:** No post-installation finishing required.No post-installation finishing required
- **Decor Options:** Selection of 5 distinct styles to suit various aesthetic preferences.



Areas of use

The Vito Fire Panel is a high-quality building material designed for indoor use in dry areas that require a surface with a fire class B-s1, d0 rating.

The combination of this fire classification and a robust panel that is easy to install, maintain, and requires no post-installation finishing within the same panel is quite unique. It is this distinctive feature that sets the Vito Fire Panel apart from most of its competitors.



Facts

The Vito Fire Panel is made from a 6.4 mm high-pressure compact laminate, featuring an integrated locking system for easy installation and “seamless” joints

- **Measurements:** 6.4 (D) x 620 (W) x 2720 (L) mm
- **Application Area:** Dry rooms
- **Fire classification** B-s1, d0: Contributes very limitedly to fire, produces very limited smoke, and does not form burning droplets.
- **Vito Profiles** for Fire Panel are available for internal and external corners
- **Sealant:** Standard sealant is used in joints, and fire sealant must be used to seal the system around doors/windows and against the ceiling/floor.

Decors

Vito Fire Panel is available in 5 decors

- 0085 White
- 0742 Pebble Grey
- 0753 Cool Grey
- 0662 Jade Green
- 0427 Mixed Grey



For more information,
technical documentation and installation
instructions:

[https://fibo.no/content/uploads/2024/08/
A3-INL_Vito-Fire-Panel-ENG-0824-LQ.pdf](https://fibo.no/content/uploads/2024/08/A3-INL_Vito-Fire-Panel-ENG-0824-LQ.pdf)

